| POPULATION ESTIMATES | | LONG-TE | RM CARE - | | LOCAL HEA | ALTH DEPARTM | ENTS |
|--|--|---|----------------------------------|---|---|------------------------------|--------------------------------------|
| Total 2001 Population 83 | 3,100 Commu | unity Options aiver Programs | | | | | Per 10,000 |
| Population per square mile County ranking in state (1-72 | 140 i | Cli aiver * | | Costs | Staffing - FTE Total staff | Number 24 | Population |
| 0-14 8,340 8,770 1 15-19 3,050 3,180 | Total MA Wa 7,110 CIP1 6,240 CIP1 | aiver * LA LB | 12 91 | \$637,734 \$614,224 \$2,031,932 | Total staff Administrative Professional sta Technical/Parapro Support staff | ff 15 of. 4 3 | 1.8 0.5 0.3 |
| 25-29 2,110 2,170 4 30-34 2,620 2,850 5 35-39 3,290 3,400 | 4,150 CIP2 4,290 COP- 5,470 CSLA 6,700 Brai | aiver * LA LB 2 -W A in Injury | 126 \$ 157 1 2 | \$1,126,964 \$909,357 \$5,797 \$59,561 | Funding Total Local Taxes | | |
| 40-44 3,380 3,570 6 45-54 5,630 5,940 13 | 1,580 10tai | L COP/WVIS | 420] |) | LICENSED | ESTABLISHME | NTS |
| 65-74 | 6,400 were 4,820 usir | 242,163 of the e paid as locang ng COP funds. included in a | al match/o This amo | aiver costs overmatch ount is costs. | Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools | Capacity 14 597 849 | Facilities 6 10 15 |
| Age Female Male 0-17 | Total inc | aiver costs re clude federal Cli | funding. | | Tourist Rooming Pools Restaurants Vending | 8 | 3 50 309 4 |
| 65+ 7,720 5,300 13 | 3,100 | Cli ible and ting | | | | | |
| Poverty Estimates for 2000 | | ily Care not p | rovided i | in county) | WIC P/ | ARTICIPANTS | |
| Estimate (C.I All ages 5,024 6.1% (Ages 0-17 1,651 7.8% (| .+/-) 260 Note: 5%) wil 134 Wai 8%) | : Eligible and Il be phased i ivers as avail | H waiting Into the C able. | clients COP and MA | Pregnant/Postpar Infants Children, age 1-4 Total | tum 4 | Number 639 714 857 2,210 |
| EMPLOYMENT | | | | | CANCE | R INCIDENCE | |
| Average wage for jobs covered by unemployment compensation \$28 Note: based on place of work | Home 8,780 Pati Pati Innual | Health Agenci ients ients per 10,6 | es)00 pop. | 2 515 62 | Primary Site Breast | | 1999 Number 65 |
| Labor Force Estimates | erage Nursi | ing Homes ensed beds upancy rate idents on Dec. idents age 65 - 1,000 popula | 31 or older ation | 6 873 88.8% 798 58 | Cervical Colorectal Trachea, Bronchus Prostate Other sites Total | s, Lung | 9 |
| | | | | | | | |

| | | | NATA | LITY | | | | |
|--|--|--------------------------------------|---|--|---|--|---------------------------|---|
| TOTAL LIVE BIRTHS Crude Live Birth Rate General Fertility Rat Live births with repo | е | 908 10.9 55.4 | Birth Order First Second Third Fourth or higher Unknown | Births 356 283 166 | Percent 39 31 18 11 | Marital Status of Mother Married Not married Unknown | Births 664 244 0 | Percent 73 27 0 |
| congenital anomalies Delivery Type Vaginal after previous cesarean Forceps Other vaginal Primary cesarean | 1 Births 25 15 | 2 72 15 | First Prenatal Visit 1st trimester 2nd trimester | Births 778 | Percent 86 12 2 1 0 | Education of Mother Elementary or les Some high school High school Some college College graduate Unknown | 116 337 249 | Percent 2 13 37 27 21 0 |
| Other or unknown Birthweight | 0 Births 13 41 853 1 | Percent 1.4 4.5 93.9 <.5 | Number of Prenatal Care visits No visits 1-4 5-9 10-12 13+ Unknown | Births 6 12 134 469 286 | 1 15 52 31 <.5 | Smoking Status of Mother Smoker Nonsmoker Unknown | Births 201 707 0 | Percent 22 78 0 |
| Race of Mother White Black Other Unknown | Births F | Percent 94 1 5 | Low Birthweight (under 2,500 gm) Births Percent 44 5.1 4 50.0 6 14.3 | Births 750 7 21 | Trimest imester Percent 87 88 50 | Births Percent | Other/ Births | Percent |
| Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown | Fe Births 0 28 52 218 274 217 109 10 0 | ertility Rate 14 50 113 130 83 33 | Low Birthweight (under 2,500 gm) Births Percent | 1st Tr | Trimoct | er of First Prenata 2nd Trimester | Other/ | Unknown Percent |
| Teenage Births | 80 | 26 | Ψ N-± | | | ace category has les | | |

| MORBIDITY | | | MO F | RTALITY | | |
|--|--|------------|-------------|---|---|------------|
| | Note: Death rates | (except ir | nfant) are | per 100,000 population. | Infant, | |
| | neonatal, and | d postneor | natal death | rates are per 1,000 liv | e births. | |
| REPORTED* CASES OF SELECTED DISEASES | Perinatal and | d fetal de | eath rates | are per 1,000 live birtH | ıs plus | |
| | fetal deaths. | . Rates a | are not cal | culated for fewer than 2 | 20 deaths. | |
| | | | | | | |
| Disease Number | TOTAL DEATHS | | 818 | Selected | | |
| Campylobacter Enteritis 19 Giardiasis <5 | Crude Death Ra | ate | 983 | Underlying Cause | Deaths | Rate |
| | | | | Heart Disease (total) | | 269 |
| Hepatitis Type A 0 | | | | Ischemic heart diseas | | 185 j |
| Hepatitis Type B** 0 | Age | Deaths | | Cancer (total) | 170 | 204 |
| Hepatitis NANB/C 8 | 1-4 | 1 | | Trachea/Bronchus/Lung | g 32 | 38 j |
| Legionnaire's 0 | j 5-14 | 3 | • | Colorectal | 14 | . |
| Lyme 0 | j 15-19 | 5 | • | Female Breast | 16 | .* |
| Measles 0 | 20-34 | 10 | | Cerebrovascular Diseas | se 74 | 89 [|
| Meningitis, Aseptic 6 | 35-54 | 48 | 190 | Lower Resp. Disease Pneumonia & Influenza | 44 | 53 j |
| Meningitis, Bacterial 0 | 55-64 | | 779 | Pneumonia & Influenza | 25 | 30 |
| Mumps 0 | 65-74 | 133 | 2,077 | Accidents | 55 | 66 |
| Pertussis <5 | 75-84 | 264 | 5,480 | Motor vehicle | | . ! |
| Salmonellosis 12 | į 85+ | 283 | 15,615 | Diabetes | 10 | . |
| Shigellosis 0 Tuberculosis 0 | ! | | | Infectious & Parasitio | | . |
| Tuberculosis 0 | l I Infant | | | Suicide | 10 | . ! |
| * 2001 provisional data | IIIIdIIL Mortality | Doatha | Pa+o | * Rate for female brea | oct cancor | hacad |
| ** Includes all positive HBsAg | Total Infant | 12 | Nate | on female popula | | Daseu |
| test results | Neonatal | 9 | • | l on remare popula | at ron. | ł |
| | Postneonatal | 3 | • | ! ALCOHOL AND DRUG ABUSI | AS HNDERI | YTNG ! |
| | Infant Mortality Total Infant Neonatal Postneonatal Unknown | , | • | OR CONTRIBUTING CAL | | |
| Sexually Transmitted Disease | l Similaria | • | • | | ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,, | " ¦ |
| Chlamydia Trachomatis 97 | Race of Mother | | | Alcohol | 11 | . i |
| Genital Herpes 47 | l White | 10 | | Other Drugs | $\overline{11}$ | |
| Gonorrhea 18 | Black | 2 | | Alcohol Other Drugs Both Mentioned | 1 | . i |
| Syphilis <5 | j Other | | | | | |
| | j Unknown | | | MOTOR VEHIC | LE CRASHES | j |
| | | | | | | Ì |
| | Birthweight | | | Note: These data are | | |
| IMMUNIZATIONS | <pre>1,500 gm 1,500-2,499 gm</pre> | 5 | | of crash, not of | on residenc | e. |
| | 1,500-2,499 gm | 2 | | | | |
| Children in Grades K-12 by | 2,500+ gm | 4 | • | Type of Motor | Persons P | ersons |
| Compliance Level | Unknown | 1 | • | Vehicle Crash | Injured | Killed |
| Compliant 15,476 | ! | | | Total Crashes | 893 | 11 |
| Compliant 15,476 Non-compliant 66 Percent Compliant 99.6 | Dominsts 3 | | | Type of Motor Vehicle Crash Total Crashes Alcohol-Related | 104 | 5 |
| rercent compliant 99.6 | Perinatal | Dooth- | Doto | WILL CITATION. | | 1 |
| | Mortality | Deaths | Rate | For OWI | 66 | 0 |
| | Total Perinatal Neonatal Fetal | 14 | • | For OWI For Speeding Motorcyclist Bicyclist | 39 37 | 0 j 1 j |
| | NEUHALAL Fetal | J [| • | NOTOLCYCLIST | 37 27 | 0 1 |
| | l icrar | 5 | • | Pedestrian | 15 | 1 1 |
| l . | l | | | Teuesti iaii | | |

| | | | Average | | HOSPITA Charge | ALIZATIONS | | | Average | | Charge |
|----------------------|-----------|------------|-------------|----------|-------------------|---|---------------------|---|-------------|-------------|------------|
| DISEASE / | | 1,000 | | Average | | DISEASE / | | 1,000 | Stay | | |
| AGE GROUP | Numbor | Pop | (Days) | | Capita | AGE GROUP | Number | Pop | | | |
| AGE GROUP | Number | rop | (Days) | Charge | Capita | AGE GROUP | Number | гор | (Days) | Charge | Сартта |
| Injury-Related | | | | | | Alcohol-Related | l | | | | |
| Ťotal | 946 | 11.4 | 4.2 | \$14,459 | \$164 | İ Total | 309 | 3.7 | 3.3 | \$3,663 | \$14 |
| <18 | 92 | 4.3 | 2.6 | \$8,775 | \$38 | i 18-44 | 177 | 5.9 | 2.8 | \$2,965 | \$18 |
| 18-44 | 238 | 8.0 | 4.1 | \$15,322 | \$123 | i 45-64 | 105 | 5.5 | | \$4,355 | \$24 |
| 45-64 | 189 | 9.9 | | \$14,846 | \$147 | Pneumonia and I | | | | 4 1,000 | |
| 65+ | 427 | 32.8 | | \$15,031 | \$492 | l Total | 373 | 4.5 | 5.8 | \$11,025 | \$49 |
| Injury: Hip I | | 32.0 | | ¥13,031 | ¥ .52 | <18 | 42 | 2.0 | 2.5 | \$3,990 | \$8 |
| Total | 117 | 1.4 | 5 2 | \$18,252 | \$26 | 45-64 | 56 | 2.9 | | \$9,209 | \$27 |
| 65+ | 103 | 7.9 | | \$18,744 | \$148 | 1 65+ | 248 | 19.0 | | \$12,561 | \$239 |
| Injury: Poiso | | 7.5 | 3.3 | ¥10,744 | ¥140 | Cerebrovascular | | 13.0 | 0.0 | ¥12,501 | ¥233 |
| Total | 62 | 0.7 | 1.6 | \$5,054 | \$4 | Total | 306 | 3.7 | 4.9 | \$12.266 | \$45 |
| 18-44 | 32 | 1.1 | 1.4 | \$4,979 | \$ 5 | 10tat 45-64 | 50 | 2.6 | 4.5 | \$15,200 | \$42 |
| 10-44 | 32 | 1.1 | 1.4 | \$4,373 | ΦŞ | 1 45-64 1 65+ | 243 | 18.6 | | \$10,718 | \$200 |
| Devebiatric | | | | | | | | | | \$10,718 | \$200 |
| Psychiatric Total | F22 | <i>C</i> 1 | 6.2 | ¢E 020 | ¢20 | Chronic Obstruc Total | .crve Puliii 212 | 2.5 | 4.3 | ¢0 746 | \$21 |
| | 532 | 6.4 | | \$5,930 | \$38 | l lotat | 212 | | | \$8,246 | |
| <18 | 114 | 5.4 | 8.4 | \$6,979 | \$38 | <18 <18 18-44 45-64 65+ | 21 22 | 1.0 | 2.8 | \$3,792 | \$4 |
| 18-44 | 267 | 9.0 | 4.9 | \$4,691 | \$42 | 18-44 | 22 | 0.7 | | \$6,129 | \$5 |
| 45-64 | 82 | 4.3 | 4.9 | \$5,351 | \$23 | 1 45-64 | 39 | 2.0 | | \$6,459 | \$13 |
| 65+ | 69 | 5.3 | 9.3 | \$9,678 | \$51 | 65+ | 130 | 10.0 | 5.0 | \$9,861 | \$98 |
| | | | | | | Drug-Related | | | | _ | _ |
| Coronary Heart | | | | | | Total | 34 | 0.4 | | \$5,653 | \$2 |
| Total | 743 | 8.9 | | \$20,417 | \$182 | 18-44 | 21 | 0.7 | 7.2 | \$6,220 | \$4 |
| 45-64 | 183 | 9.6 | | \$16,793 | \$160 | | | | | | |
| 65+ | 532 | 40.8 | 4.4 | \$21,932 | \$895 | Total Hospitali | zations | | | | |
| | | | | | | Total | 11,495 | 138.1 | 4.2 | \$10,300 | \$1,423 |
| Malignant Neop | lasms (Ca | ncers): | All | | | j <18 | 1,707 | 80.7 | 3.0 | \$4,419 | \$357 |
| Total | 442 | 5.3 | 6.1 | \$18,493 | \$98 | 18-44 45-64 | 2,692 | 90.5 | 3.2 | \$7,382 | \$668 |
| 18-44 | 35 | 1.2 | | \$20,125 | \$24 | i 45-64 | 2,175 | 113.6 | 3.9 | \$12,040 | \$1,368 |
| 45-64 | 147 | 7.7 | | \$17,099 | \$131 | 65+ | | 377.6 | 5.2 | \$13,168 | \$4,972 |
| 65+ | 255 | 19.6 | | \$18,415 | \$360 | | , - | | | , , , , , , | , ,- |
| Neoplasms: Fe | | | | | | PR | EVENTABI F | HOSPIT | TALIZATT | ONS* | |
| Total | 41 | 1.0 | 1.9 | \$9,538 | \$9 | Total | 1,532 | 18.4 | 4.5 | \$8,691 | \$160 |
| Neoplasms: Co | | | , | ¥3,330 | 40 | 1 <18 | 170 | 8.0 | | \$3,778 | \$30 |
| Total | 51 | 0.6 | 9 1 | \$24,927 | \$15 | 18-44 | 157 | 5.3 | 3.2 | | \$35 |
| 65+ | 38 | 2.9 | | \$26,665 | \$78 | 1 45-64 | 265 | 13.8 | 3.8 | \$7,929 | \$110 |
| Neoplasms: Lu | | ۷.5 | 5.7 | \$20,00J | ¥/ U | 1 65+ | 940 | 72.1 | | \$10,140 | \$731 |
| Total | ung 30 | 0.4 | 7 5 | \$18,098 | \$7 | | | | | | |
| IULAL | 38 | 0.4 | 7.5 | \$10,036 | Φ/ | * HOSPICALIZACIONS ambulatory care ca | n reduce | 1 1 1 1 1 1 1 5 1 5 1 5 1 5 1 5 1 5 1 5 | wiler t | of bocni | +31iz3+i00 |
| Diabotos | | | | | | | | | | | |
| Diabetes | 104 | 1 2 | г с | ¢11 471 | ¢1 4 | The definition of | | | | LIUIIS III | 7001 |
| Total | 104 49 | 1.2 | ο. c | \$11,471 | \$14 | is consistent wit | | | | +bic | a in the |
| 65+ | 49 | 3.8 | 6.2 | \$12,123 | \$46 | Please refer to th | | | | | |
| | | | | | | 1997 report for a | ın expıana | t10n 01 | r the ch | ange made | petween |
| | | | | | | 1996 and 1997. | | | | | |